

Applicant: Peter L. Cassidy Phillips

Serial No.: 10/634,031

Attorney Docket No. 1060A

---

**IN THE CLAIMS**

Please cancel claims 17-20.

Please amend claims 1, 11 and 15 as follows.

1. (Currently amended) A massage device comprising:

a generally elongated massage body including at least one resilient layer and  
having a first end and a second end spaced-apart from said first end; and

spaced-apart circular wheels carried by said first end and said second end,  
respectively, of said massage body; and

wherein said massage body has a continuous convex configuration between said  
first end and said second end of said massage body.

2. (Original) The massage device of claim 1 wherein said at least one resilient layer comprises at least one elastic layer and at least one compressive layer.

3. (Original) The massage device of claim 1 further comprising a core extending through said massage body and wherein said spaced-apart wheels are carried by said core.

4. (Original) The massage device of claim 3 wherein said at least one resilient layer comprises at least one elastic layer and at least one compressive layer surrounding said core.

Applicant: Peter L. Cassidy Phillips

Serial No.: 10/634,031

Attorney Docket No. 1060A

---

5. (Original) The massage device of claim 2 wherein said at least one elastic layer comprises a non-woven material and a plurality of elastic fibers provided in said non-woven material.
6. (Original) The massage device of claim 5 further comprising a core extending through said massage body and wherein said spaced-apart wheels are carried by said core.
7. (Original) The massage device of claim 2 wherein said at least one compressive layer comprises an elastic bandage.
8. (Original) The massage device of claim 7 further comprising a core extending through said massage body and wherein said spaced-apart wheels are carried by said core.
9. (Original) The massage device of claim 7 wherein said at least one elastic layer comprises a non-woven material and a plurality of elastic fibers provided in said non-woven material.
10. (Original) The massage device of claim 9 further comprising a core extending through said massage body and wherein said spaced-apart wheels are carried by said core.

Applicant: Peter L. Cassidy Phillips

Serial No.: 10/634,031

Attorney Docket No. 1060A

---

11. (Currently amended) A massage device comprising:

a generally elongated massage body including a substantially rigid core and a plurality of elastic layers and at least one compressive layer surrounding said core in alternating relationship to each other and having a first end and a second end spaced-apart from said first end; and

spaced-apart circular wheels carried by said first end and said second end, respectively, of said massage body;

wherein said massage body has a continuous convex configuration between said first end and said second end of said massage body; and

a fabric cover surrounding said plurality of elastic layers and at least one compressive layer.

12. (Original) The massage device of claim 11 wherein said plurality of elastic layers each comprises a non-woven material and a plurality of elastic fibers provided in said non-woven material, and wherein said at least one compressive layer comprises an elastic bandage.

13. (Original) The massage device of claim 11 further comprising bolts engaging said wheels, respectively, and said core for securing said wheels on said massage body.

14. (Original) The massage device of claim 13 wherein said plurality of elastic layers

Applicant: Peter L. Cassidy Phillips

Serial No.: 10/634,031

Attorney Docket No. 1060A

each comprises a non-woven material and a plurality of elastic fibers provided in said non-woven material, and wherein said at least one compressive layer comprises an elastic bandage.

15. (Currently amended) A massage device comprising:

a generally elongated massage body including a substantially rigid core, an inner elastic layer surrounding said core, a compressive layer surrounding said inner elastic layer, and an outer elastic layer surrounding said compressive layer and having a first end and a second end spaced-apart from said first end; and

spaced-apart circular wheels carried by said first end and said second end, respectively, of said massage body, said wheels having hubs, respectively, provided on said core and outer portions provided on said hubs, respectively;

wherein said massage body has a continuous convex configuration between said first end and said second end of said massage body;

a pair of bolts extending through said hubs of said wheels, respectively, and into said core; and

a bolt coupling provided in said core and connecting said pair of bolts.

16. (Original) The massage device of claim 15 further comprising a cover surrounding said outer elastic layer.

**Applicant: Peter L. Cassidy Phillips**

**Serial No.: 10/634,031**

**Attorney Docket No. 1060A**

---

17-20 (canceled)